

810 Invoice IB to CCBCC

X12/V4010/810: 810 Invoice

Version: 1.0 Draft

Author:	CCBCC EDI-EAI Team
Publication:	March 15, 2007
Trading Partner:	Generic 4010
Modified:	02/27/2007
Notes:	Confidential

Table of Contents

810 Invoice	1
ST Transaction Set Header	2
BIG Beginning Segment for Invoice	3
REF Reference Identification	4
N1 Loop N1	5
N1 Name	6
PER Administrative Communications Contact	7
ITD Terms of Sale/Deferred Terms of Sale	8
IT1 Loop IT1	9
IT1 Baseline Item Data (Invoice)	10
TXI Tax Information	12
MEA Measurements	13
REF Reference Identification	15
DTM Date/Time Reference	16
SAC Loop SAC	17
SAC Service, Promotion, Allowance, or Charge Information	18
N1 Loop N1	20
N1 Name	21
N3 Address Information	22
TDS Total Monetary Value Summary	23
CTT Transaction Totals	24
SE Transaction Set Trailer	25

810 Invoice

Functional Group=IN

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIG	Beginning Segment for Invoice	M	1			Must use
050	REF	Reference Identification	O	12			Must use
LOOP ID - N1					<u>200</u>		
070	N1	Name	O	1			Must use
120	PER	Administrative Communications Contact	O	3			Used
130	ITD	Terms of Sale/Deferred Terms of Sale	O	>1			Must use

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - IT1					<u>200000</u>		
010	IT1	Baseline Item Data (Invoice)	O	1			Must use
040	TXI	Tax Information	O	10			Used
059	MEA	Measurements	O	40			Must use
120	REF	Reference Identification	O	>1			Used
150	DTM	Date/Time Reference	O	10			Must use
LOOP ID - SAC					<u>25</u>		
180	SAC	Service, Promotion, Allowance, or Charge Information	O	1			Must use
LOOP ID - N1					<u>200</u>		
240	N1	Name	O	1			Must use
260	N3	Address Information	O	2			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	TDS	Total Monetary Value Summary	M	1			Must use
070	CTT	Transaction Totals	O	1		N3/070	Must use
080	SE	Transaction Set Trailer	M	1			Must use

Notes:

3/070 Number of line items (CTT01) is the accumulation of the number of IT1 segments. If used, hash total (CTT02) is the sum of the value of quantities invoiced (IT102) for each IT1 segment.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
Description: Code uniquely identifying a Transaction Set						
Code Name						
810 Invoice						
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

CCBCC Example:

ST*810*000000244~

BIG Beginning Segment for Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 3

User Option (Usage): Must use

Purpose: To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	Date	M	DT	8/8	Must use
		Description: Date expressed as CCYYMMDD				
BIG02	76	Invoice Number	M	AN	1/22	Must use
		Description: Identifying number assigned by issuer				
BIG07	640	Transaction Type Code	O	ID	2/2	Must use
		Description: Code specifying the type of transaction				
		Code Name				
		PR	Product (or Service)			

Semantics:

1. BIG01 is the invoice issue date.
2. BIG03 is the date assigned by the purchaser to purchase order.
3. BIG10 indicates the consolidated invoice number. When BIG07 contains code CI, BIG10 is not used.

Comments:

1. BIG07 is used only to further define the type of invoice when needed.

CCBCC Example:

BIG*20070207*000123456789*****PR~

REF Reference Identification

Pos: 050	Max: 12
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code Name

12 Billing Account

Description: Account number under which billing is rendered

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

CCBCC Example:

REF*12*0000234567~

Loop N1

Pos: 070	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	O	1		Must use
120	PER	Administrative Communications Contact	O	3		Used

N1 Name

Pos: 070	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
		Description: Code identifying an organizational entity, a physical location, property or an individual				
		Code Name				
		BT				Bill-to-Party
		RE				Party to receive commercial invoice remittance
N102	93	Name	X	AN	1/60	Must use
		Description: Free-form name				
N103	66	Identification Code Qualifier	X	ID	1/2	Must use
		Description: Code designating the system/method of code structure used for Identification Code (67)				
		Code Name				
		92				Assigned by Buyer or Buyer's Agent
N104	67	Identification Code	X	AN	2/80	Must use
		Description: Code identifying a party or other code				

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

CCBCC Example:

```
N1*BT*COLA COLA BOTTLING CO CON*92*0000234567~
N1*RE*ABC POWER CO*92*ABC POWER~
```

PER Administrative Communications Contact

Pos: 120	Max: 3
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	Contact Function Code	M	ID	2/2	Must use
Description: Code identifying the major duty or responsibility of the person or group named						
Code Name						
CR Customer Relations						
PER02	93	Name	O	AN	1/60	Must use
Description: Free-form name						
PER03	365	Communication Number Qualifier	X	ID	2/2	Must use
Description: Code identifying the type of communication number						
Code Name						
TE Telephone						
PER04	364	Communication Number	X	AN	1/80	Must use
Description: Complete communications number including country or area code when applicable						

Syntax Rules:

1. P0304 - If either PER03 or PER04 is present, then the other is required.
2. P0506 - If either PER05 or PER06 is present, then the other is required.
3. P0708 - If either PER07 or PER08 is present, then the other is required.

CCBCC Example:

PER*CR*EDI TEAM*TE*7042345678~

ITD Terms of Sale/Deferred Terms of Sale

Pos: 130	Max: >1
Heading - Optional	
Loop: N/A	Elements: 3

User Option (Usage): Must use
Purpose: To specify terms of sale

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD01	336	Terms Type Code	O	ID	2/2	Must use

Description: Code identifying type of payment terms

Code Name

05 Discount Not Applicable

ITD02	333	Terms Basis Date Code	O	ID	1/2	Must use
-------	-----	-----------------------	---	----	-----	----------

Description: Code identifying the beginning of the terms period

Code Name

4 Specified Date

ITD06	446	Terms Net Due Date	O	DT	8/8	Must use
-------	-----	--------------------	---	----	-----	----------

Description: Date when total invoice amount becomes due expressed in format CCYYMMDD

Syntax Rules:

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

Semantics:

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

Comments:

1. If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

CCBCC Example:

*ITD*05*4*****20070222~*

Loop IT1

Pos: 010	Repeat: 200000
Optional	
Loop: IT1	Elements: N/A

User Option (Usage): Must use

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	IT1	Baseline Item Data (Invoice)	O	1		Must use
040	TXI	Tax Information	O	10		Used
059	MEA	Measurements	O	40		Must use
120	REF	Reference Identification	O	>1		Used
150	DTM	Date/Time Reference	O	10		Must use
180		Loop SAC	O		25	Must use
240		Loop N1	O		200	Must use

IT1 Baseline Item Data (Invoice)

Pos: 010	Max: 1
Detail - Optional	
Loop: IT1	Elements: 6

User Option (Usage): Must use

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT101	350	Assigned Identification	O	AN	1/20	Must use
		Description: Alphanumeric characters assigned for differentiation within a transaction set				
IT102	358	Quantity Invoiced	X	R	1/10	Must use
		Description: Number of units invoiced (supplier units)				
IT103	355	Unit or Basis for Measurement Code	X	ID	2/2	Must use
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		<u>Code</u> <u>Name</u>				
		K1 Kilowatt Demand				
		Description: Represents potential power load measured at predetermined intervals				
		KH Kilowatt Hour				
		ZZ Mutually Defined				
IT104	212	Unit Price	X	R	1/17	Must use
		Description: Price per unit of product, service, commodity, etc.				
IT106	235	Product/Service ID Qualifier	X	ID	2/2	Must use
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		<u>Code</u> <u>Name</u>				
		SV Service Rendered				
IT107	234	Product/Service ID	X	AN	1/48	Must use
		Description: Identifying number for a product or service				

Syntax Rules:

1. P020304 - If either IT102, IT103 or IT104 are present, then the others are required.
2. P0607 - If either IT106 or IT107 is present, then the other is required.
3. P0809 - If either IT108 or IT109 is present, then the other is required.
4. P1011 - If either IT110 or IT111 is present, then the other is required.
5. P1213 - If either IT112 or IT113 is present, then the other is required.
6. P1415 - If either IT114 or IT115 is present, then the other is required.
7. P1617 - If either IT116 or IT117 is present, then the other is required.
8. P1819 - If either IT118 or IT119 is present, then the other is required.
9. P2021 - If either IT120 or IT121 is present, then the other is required.
10. P2223 - If either IT122 or IT123 is present, then the other is required.
11. P2425 - If either IT124 or IT125 is present, then the other is required.

Semantics:

1. IT101 is the purchase order line item identification.

Comments:

1. Element 235/234 combinations should be interpreted to include products and/or services. See the Data Dictionary for a complete list of IDs.
2. IT106 through IT125 provide for ten different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

CCBCC Example:

*IT1*1*1*ZZ*1**SV*ELECTRIC~*

TXI Tax Information

Pos: 040	Max: 10
Detail - Optional	
Loop: IT1	Elements: 2

User Option (Usage): Used

Purpose: To specify tax information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TXI01	963	Tax Type Code	M	ID	2/2	Must use

Description: Code specifying the type of tax

Code Name

MP Municipal Tax

Description: *Service tax imposed by a municipality*

ST State Sales Tax

TXI02	782	Monetary Amount	X	R	1/18	Must use
-------	-----	-----------------	---	---	------	----------

Description: Monetary amount

Syntax Rules:

1. R020306 - At least one of TXI02, TXI03 or TXI06 is required.
2. P0405 - If either TXI04 or TXI05 is present, then the other is required.
3. C0803 - If TXI08 is present, then TXI03 is required.

Semantics:

1. TXI02 is the monetary amount of the tax.
2. TXI03 is the tax percent expressed as a decimal.
3. TXI07 is a code indicating the relationship of the price or amount to the associated segment.

MEA Measurements

Pos: 059	Max: 40
Detail - Optional	
Loop: IT1	Elements: 6

User Option (Usage): Must use

Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights(See Figures Appendix for example of use of C001)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA01	737	Measurement Reference ID Code	O	ID	2/2	Must use

Description: Code identifying the broad category to which a measurement applies

Code Name

AA Meter reading-beginning actual/ending actual
TI Time

MEA02	738	Measurement Qualifier	O	ID	1/3	Used
-------	-----	------------------------------	---	----	-----	------

Description: Code identifying a specific product or process characteristic to which a measurement applies

Code Name

MU Multiplier

MEA03	739	Measurement Value	X	R	1/20	Used
-------	-----	--------------------------	---	---	------	------

Description: The value of the measurement

MEA04	C001	Composite Unit of Measure	X	Comp		Must use
-------	------	----------------------------------	---	------	--	----------

Description: To identify a composite unit of measure(See Figures Appendix for examples of use)

	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
--	-----	---	---	----	-----	----------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code Name

DA Days
K1 Kilowatt Demand
Description: Represents potential power load measured at predetermined intervals
KH Kilowatt Hour

MEA05	740	Range Minimum	X	R	1/20	Used
-------	-----	----------------------	---	---	------	------

Description: The value specifying the minimum of the measurement range

MEA06	741	Range Maximum	X	R	1/20	Must use
-------	-----	----------------------	---	---	------	----------

Description: The value specifying the maximum of the measurement range

Syntax Rules:

1. R03050608 - At least one of MEA03, MEA05, MEA06 or MEA08 is required.
2. C0504 - If MEA05 is present, then MEA04 is required.
3. C0604 - If MEA06 is present, then MEA04 is required.

4. L07030506 - If MEA07 is present, then at least one of MEA03, MEA05 or MEA06 is required.
5. E0803 - Only one of MEA08 or MEA03 may be present.

Semantics:

1. MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.

Comments:

1. When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

CCBCC Example:

*MEA*TI***DA**31~*

REF Reference Identification

Pos: 120	Max: >1
Detail - Optional	
Loop: IT1	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code Name

MG Meter Number
 RB Rate code number

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

CCBCC Example:

```
REF*MG*011240~
REF*RB*OPT~
```

DTM Date/Time Reference

Pos: 150	Max: 10
Detail - Optional	
Loop: IT1	Elements: 2

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use
Description: Code specifying type of date or time, or both date and time						
Code Name						
150 Service Period Start						
151 Service Period End						
DTM02	373	Date	X	DT	8/8	Must use
Description: Date expressed as CCYYMMDD						

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

CCBCC Example:

*DTM*150*20070101~*
*DTM*151*20070131~*

Loop SAC

Pos: 180	Repeat: 25
Optional	
Loop: SAC	Elements: N/A

User Option (Usage): Must use

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
180	SAC	Service, Promotion, Allowance, or Charge Information	O	1		Must use

SAC Service, Promotion, Allowance, or Charge Information

Pos: 180	Max: 1
Detail - Optional	
Loop: SAC	Elements: 9

User Option (Usage): Must use

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SAC01	248	Allowance or Charge Indicator	M	ID	1/1	Must use

Description: Code which indicates an allowance or charge for the service specified

Code Name

- C Charge
- N No Allowance or Charge

SAC03	559	Agency Qualifier Code	X	ID	2/2	Must use
-------	-----	------------------------------	---	----	-----	----------

Description: Code identifying the agency assigning the code values

Code Name

- EU Electric Utilities

SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code	X	AN	1/10	Must use
-------	------	---	---	----	------	----------

Description: Agency maintained code identifying the service, promotion, allowance, or charge

SAC05	610	Amount	O	N2	1/15	Used
-------	-----	---------------	---	----	------	------

Description: Monetary amount

SAC08	118	Rate	O	R	1/9	Must use
-------	-----	-------------	---	---	-----	----------

Description: Rate expressed in the standard monetary denomination for the currency specified

SAC09	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
-------	-----	---	---	----	-----	------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code Name

- K1 Kilowatt Demand
Description: *Represents potential power load measured at predetermined intervals*
- KH Kilowatt Hour

SAC10	380	Quantity	X	R	1/15	Used
-------	-----	-----------------	---	---	------	------

Description: Numeric value of quantity

SAC13	127	Reference Identification	X	AN	1/30	Must use
-------	-----	---------------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		by the Reference Identification Qualifier				
SAC15	352	Description	X	AN	1/80	Must use
		Description: A free-form description to clarify the related data elements and their content				

Syntax Rules:

1. R0203 - At least one of SAC02 or SAC03 is required.
2. P0304 - If either SAC03 or SAC04 is present, then the other is required.
3. P0607 - If either SAC06 or SAC07 is present, then the other is required.
4. P0910 - If either SAC09 or SAC10 is present, then the other is required.
5. C1110 - If SAC11 is present, then SAC10 is required.
6. L130204 - If SAC13 is present, then at least one of SAC02 or SAC04 is required.
7. C1413 - If SAC14 is present, then SAC13 is required.
8. C1615 - If SAC16 is present, then SAC15 is required.

Semantics:

1. If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
2. SAC05 is the total amount for the service, promotion, allowance, or charge.
3. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
4. SAC08 is the allowance or charge rate per unit.
5. SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity.
6. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
7. SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
8. SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.
9. SAC16 is used to identify the language being used in SAC15.

Comments:

1. SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
2. In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to as "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

CCBCC Example:

```
SAC*N**EU*SER000****.0001*****ZZ**Test Data~
```

Loop N1

Pos: 240	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
240	N1	Name	O	1		Must use
260	N3	Address Information	O	2		Must use

N1 Name

Pos: 240	Max: 1
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
		Description: Code identifying an organizational entity, a physical location, property or an individual				
		Code Name				
		MQ				Metering Location
N102	93	Name	X	AN	1/60	Must use
		Description: Free-form name				

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

CCBCC Example:

*N1*MQ*COCA COLA BOTTLING CO CON~*

N3 Address Information

Pos: 260	Max: 2
Detail - Optional	
Loop: N1	Elements: 1

User Option (Usage): Must use

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

CCBCC Example:

*N3*4321 CHARLOTTE RD~*

TDS Total Monetary Value Summary

Pos: 010	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To specify the total invoice discounts and amounts

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	Amount	M	N2	1/15	Must use

Description: Monetary amount

Semantics:

1. TDS01 is the total amount of invoice (including charges, less allowances) before terms discount (if discount is applicable).
2. TDS02 indicates the amount upon which the terms discount amount is calculated.
3. TDS03 is the amount of invoice due if paid by terms discount due date (total invoice or installment amount less cash discount).
4. TDS04 indicates the total amount of terms discount.

Comments:

1. TDS02 is required if the dollar value subject to discount is not equal to the dollar value of TDS01.

CCBCC Example:

TDS*98765~

CTT Transaction Totals

Pos: 070	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

CCBCC Example:

*CTT*1~*

SE Transaction Set Trailer

Pos: 080	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Comments:

1. SE is the last segment of each transaction set.